

STG-24V-2CH

STG-24V-5CH

STG-24V-10CH

STG-120V-2CH

## Power Distribution Boards


**STG-24V-2CH**




### Benefits and Features

Allows for distribution of power connections.

**STG-24V-5CH**



**STG-24V-10CH**



**STG-120V-2CH**



## Power Distribution Boards

The Power Distribution Boards are available in four varieties: STG-24V-2CH, STG-24V-5CH, STG-24V-10CH, and STG-120V-2CH. The boards allow distribution of a single power connection, plus ground, out to 2 channels (STG-24V-2CH, STG-120V-2CH), 5 channels (STG-24V-5CH), or 10 channels (STG-24V-10CH). The power distribution boards can be used for a variety of product lines, including Schneider Electric's EcoStruxure products.

## Specifications

Operating Temperature:

+32 to +122 Degrees F

## Power Distribution Boards

### Wiring

#### 24V 2 CH DISTRIBUTION BOARD

Input		Output	
24H	1	4	24H
24G	2	5	24G
GND	3	6	GND
		7	24H
		8	24G
		9	GND

STG-24V-2CH

#### 24V 5 CH DISTRIBUTION BOARD

Input		Output	
24H	1	4	24H
24G	2	5	24G
GND	3	6	GND
		7	24H
		8	24G
		9	GND
		10	24H
		11	24G
		12	GND
		13	24H
		14	24G
		15	GND
		16	24H
		17	24G
		18	GND

STG-24V-5CH

#### 120V 2 CH DISTRIBUTION BOARD

Input		Output	
120H	1	4	120H
120N	2	5	120N
GND	3	6	GND
		7	120H
		8	120N
		9	GND

STG-120V-2CH

## Power Distribution Boards

### Wiring

#### 24V 10 CH DISTRIBUTION BOARD

Input		Output	
24H	1	4	24H
24G	2	5	24G
GND	3	6	GND
		7	24H
		8	24G
		9	GND
		10	24H
		11	24G
		12	GND
		13	24H
		14	24G
		15	GND
		16	24H
		17	24G
		18	GND
		19	24H
		20	24G
		21	GND
		22	24H
		23	24G
		24	GND
		25	24H
		26	24G
		27	GND
		28	24H
		29	24G
		30	GND
		31	24H
		32	24G
		33	GND

STG-24V-10CH